

# **Product Submittal Sheet**

Tech Support: 888-437-3244 Engineering Services: 877-832-3206 Sales: 800-543-7140 clarkdietrich.com

Product catego	7/8"	Furring / Hat Channel		09.22.16 (Non-Structural Metal Framing)
Product name:	087F	s (20gauge DW) Finish	: G40	1 1/4
Geometric Prop Depth Width	0.875 in 1.250 in	Design thickness Min. steel thickness	0.0312 in 0.0296 in	Chanr
Yield stress, Fy	33 ksi	Ultimate, Fu	45 ksi	
Gross Section Cross sectional ar Member weight pe Moment of inertia Radius of gyration Gross moment of Gross radius of gy	ea (Å) er foot of lengtł (Ix) i (Rx) inertia (Iy)	f Full Section, Strong A າ	<b>xis</b> $0.115 \text{ in}^2$ 0.392  lb/ft $0.014 \text{ in}^4$ 0.352  in $0.0691 \text{ in}^4$ 0.774  in	Furring / F
Effective Section Moment of inertian Section modulus ( Allowable bending Allowable shear for	for deflection ( Sx) moment (Ma)	lx)	0.0142 in <sup>4</sup> 0.0305 in <sup>3</sup> 50.21 ft-lb 527.6 lb	Used in framing applications: <ul> <li>Furring for wall &amp; ceilings</li> <li>Framing for drop down ceilings</li> </ul>

· Furring for metal lath systems

#### **Ordering Information:**

Stock Length:10'-0" & 12'-0" long piecesPackaging:(10) pieces per bundle – (440) pieces per palletPackaging weight:41 lbs./bundle or 408 lbs./1000 ft.

# **ASTM & Code Standards:**

- AISI North American Specification [NASPEC] 2001 Supplement
- Furring channel is produced to meet or exceed ASTM C645 and C955
- Galvanized sheet steel meets or exceeds requirements of ASTM A924 & A1003
- For installation & storage information refer to ASTM C1007 & C754
- MSDS & Product Certification Information available at www.clarkdietrich.com

### Furring / Hat Channel Allowable Ceiling Spans (Deflection: L/360):

				A	pplied L	oad			
	4 psf		6 psf			13 psf			
Spans	Hat Spacing (in) o.c.		Hat Spacing (in) o.c.			Hat Spacing (in) o.c.			
	12	16	24	12	16	24	12	16	24
Single	5'-4"	4'-10"	4'-3"	4'-8"	4'-3"	3'-8"	3'-7"	3'-3"	2'-10"
Multiple	6'-8"	6'-0"	5'-3"	5'-9"	5'-3"	4'-7"	4'-6"	4'-1"	3'-6"

# **GREEN Benefits and Recycled Content:**

LEED Credit MR 2 - ClarkDietrich products are manufactured from cold-formed steel. Steel is 100% recyclable, which helps divert debris from the waste stream. The contribution to LEED must be calculated by the contractor based on weight or volume.

LEED Credit MR 4 - ClarkDietrich's steel products have a minimum recycled content of 34.9%, of which 24.3% is post-consumer, and 9.4% is pre-consumer. To report a higher number for your project or seek Credit MR 5, contact Technical Services at 888-437-3244 or visit www.clarkdietrich.com.

#### CD-087F125-30 © 03/12 ClarkDietrich Building Systems

Name:	Name:	Name:
Address:	Contact:	Contact:
	Phone:	Phone:
	Fax:	Fax: