

# UNIVERSAL FIRE RATED ACCESS DOOR

# **Model KRP-150FR**

For Walls and Ceilings

DATE

PROJECT DATA



## KARP ASSOCIATES, INC.

260 Spagnoli Road Melville, NY 11747

(631) 768-8300 - Phone

(631) 768-8350 - Fax

#### **GENERAL SCOPE:**

The KRP-150FR is insulated and rated by Underwriters Laboratories for 1.5 hour "B" label in walls, and may be used in a 2 hour fire rated wall assembly. Additionaly, Warnock Hersey rated the KRP-150FR for 3 hours in ceilings.

#### **CONSTRUCTION:**

- 1. Frame shall be 16 gage steel.
- 2. Door shall be 20 gage steel, welded pan type.
- 3. Flange shall be 16 gage steel, 1" wide.
- 4. Hinge shall be exposed, continuous piano hinge.
- 5. Door shall be filled with 2" thick fire rated insulation.
- 6. Door shall have automatic closure, be self-latching, and contain interior latch release.
- 7. Latches shall be spring loaded sliding bolt type, keyed paddle latch, all keyed alike. Door can be prepared for a rim cylinder lock.
- 8. Finish shall be prime coat of rust inhibitive electrostatic powder, baked enamel. Stainless steel doors shall have #4 satin finish.

# FIRE-RATED ACCESS DOOR INSTALL IN SHEET ROCK, MASENRY, TILE OR PLASTER.

Note: For installation in 3 hour ceiling system, on sizes  $16" \times 16"$  and larger, extra spring supplied with door must be attached from back of door pan to framing of floor above in such a manner as to insure that a door is self-closing.

### STANDARD SIZES

DOOR SIZE H X W (IN.)	WALL/CEILING OPENING (IN.)	NUMBER OF LATCHES	SHIP WT. (LBS.)
8 x 8	8 3/8 x 8 3/8	1	6 <b>.</b> 3
12 x 12	12 3/8 x 12 3/8	1	9.7
14 x 14	14 3/8 x 14 3/8	1	12.7
16 x 16	16 3/8 x 16 3/8	1	14.1
18 x 18	18 3/8 x 18 3/8	1	18.9
24 x 12	24 3/8 x 12 3/8	1	15.5
22 x 22	22 3/8 x 22 3/8	1	24.0
24 x 24	24 3/8 x 24 3/8	1	26.7
30 x 22	30 3/8 x 22 3/8	1	27.8

PROJECT DATA								
Project Name:								
Architect:								
Contractor:								
Agent/Customer Name:								
Tagging Instructions:								
Special Instructions:								
PROJECT SCHEDULE								
Qty.	Н	w	No. of Latches	Finish	Remarks			
	_	_	_					
_								

DOOR SIZE H X W (IN.)	WALL/CEILING OPENING (IN.)	NUMBER OF STUD LATCHES	SHIP WT. (LBS.)
30 x 24	30 3/8 x 24 3/8	1	32.2
*30 x 30	30 3/8 x 30 3/8	1	37.7
*32 x 32	32 3/8 x 32 3/8	1	41.3
36 x 22	36 3/8 x 22 3/8	2	34.4
36 x 24	36 3/8 x 24 3/8	2	40.2
*36 x 36	36 3/8 x 36 3/8	2	52.0
*48 x 24	48 3/8 x 24 3/8	2	48.9
*48 x 36	48 3/8 x 36 3/8	2	62 <u>.</u> 0
*48 x 48	48 3/8 x 48 3/8	2	89.0

<sup>\*</sup> All doors with width greater than 24" are for wall installation only. They are not approved for ceiling installation.

